GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES

THE PRACTICE OF BARBERING AND COSMETOLOGY INSPECTION REPORT TO LOG I

DIVISION	OF FN	/IRONM	FNTAL	HEALTH

INSPECTION	GRADE		ESTABLISHMENT NAME:
Regular V	100	08 122 118	NAILS BY HOLLYNDD
Follow-Up] (0/		OWNER/OPERATOR:
Complaint	1/6	10: Q411-20,	
Investigation			LOCATION: LOT 82-1-5-RID-NWW-3 AGAMA STOPING
Other(Specify Below)	-enistmen	No.: 18000795	CONTER, HAGATIVA GUAM
		Exp. 6/30/2010	ESTABLISHMENT TYPE: (DSMETU ESTABLISHMENT BEAMY SAUN

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the

ITEM NO.*	REMARKS	DEMERITS
,eldsn	A REGION ON SIIGH OA.	10 s U 10 s U 10 s to s
butae	THE FOLLOWING VIOLATIONS WERE OBJERVED:	range of
9	PLYSE OF SINGLE USE ITEMS SUCH AS NAIL PILES, NAIL BUTTERS AND PUMICE STONES.	cas
	Short HAMSSHALL NOT BE PEUSED KND DISPOSED BOWDEN BACK STENT TO PREVENT THE SPREAD OF BOURDEIA. I	CHAR I
17	CUTILIZE CUPPERS AND NAIL BURRY NOT CLEANED AND SANIDLED	ntos i
	MYTTER USE. FULL INSTRUMENTS SYMU BE PROPERLY WEAVED, SAMINZED, AND STREED TO PREVENT THE ROTANDAL SPOWN+ AND IPPEKD OF BACTERIA.	þ
14 3	NO MERSUPENIL CUPY PROVIDED FOR SAMITZER. MERKYPHIL CUPY ADDING SHALL BE PROVIDED TO ENSURE ACCURACY AND EFFICACY OF SAMITIZER SPRENGTH.	2
21	VARIOUS STORAGE CABINERS AT MANICURE STATIONS NOT MAINTAINER. STORAGE CABINETS STALL BE MAINTAINED TO FREENT CROSS CONTOMINATION OF CLEAN INTREMINANT, AND TO PREVENT THE POTENTIAL SPINNY & PROJECTIA.	2
. betty	PHYOS TRIVEN. PIC INFORMED ON ABOUT. A" PLALARED NO. 02788 ISSUED.	2 Aupril 2 Aupril 2 Promi
I H	AVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.	

*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection:

(1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).

DEH INSPECTOR (Name & Title):
J. G. HP.O. A EPHO 1

T. SHIMIZU / EPHO

GEH-07 Rev: 10/98

WHITE COPY - Office YELLOW COPY / Establishment